I.D.C.
Industrial Distribution Components

Professional
to
create high-quality switches

Push Button Switch

CQC CE RoHS



STS-101 OFF-(ON)
1.5A 250VAC



AN4 2×2 ON-(ON)
1A 250VAC



DS-402 OFF-(ON)
0.5A 125VAC



DS-314 OFF-(ON)
DS-315 ON-(OFF)
0.5A 250VAC



KAX-3 OFF-(ON)
0.5A 250VAC



DS-316 OFF-(ON)
0.5A 250VAC



PBS-105 OFF-(ON)
PBS-105C ON-(OFF)
0.5A 250VAC



DS-318 OFF-(ON)
1A 250VAC



DS-323 OFF-(ON)
1A 250VAC



PBS-13B OFF-(ON)
PBS-13C ON-(OFF)
4A 250VAC



DS-101 OFF-(ON)
0.5A 125VAC



DS-212 OFF-(ON)
DS-212C ON-(OFF)
3A 250VAC



DS-211 ON-OFF
DS-213 OFF-(ON)
1A 250VAC



DS-227K OFF-(ON)
DS-228K ON-OFF
1A 250VAC



DS-211K ON-OFF
DS-213K OFF-(ON)
1A 250VAC



DS-225 OFF-(ON)
DS-226 ON-OFF 1A 250VAC



DS-450 ON-OFF
DS-451 OFF-(ON)
1A 250VAC



PBS-11A ON-OFF
PBS-11B OFF-(ON)
1A 250VAC



DS-460 ON-OFF
DS-461 OFF-(ON)
1A 250VAC



PBS-12A ON-OFF
PBS-12B OFF-(ON)
1A 250VAC



PBS-33B OFF-(ON) IP54
1A 250VAC
WPC-33 Waterproof cover



PBS-14A ON-OFF
PBS-14B OFF-(ON)
1A 250VAC



DS-227 OFF-(ON)
DS-228 ON-OFF
1A 250VAC



PBS-27B OFF-(ON)
1A 250VAC

Push Button Switch



PBS-16A ON-OFF
PBS-16B OFF-(ON)
1A 250VAC



R16-504AD ON-OFF
R16-504BD OFF-(ON)
3A 250VAC(With LED)



R16-503A ON-OFF
R16-503B OFF-(ON)
3A 250VAC



R13-507 OFF-(ON)
3A 250V/AC



R16-503A-K ON-OFF
R16-503B-K OFF-(ON)
3A 250VAC



R13-507K OFF-(ON)
3A 250V/AC



R16-503AD ON-OFF
R16-503BD OFF-(ON)
3A 250VAC (With LED)



PBS-422AD ON-OFF 3P With LED
PBS-422BD OFF-(ON) 3P With LED 10A 250VAC



R16-503AD-K ON-OFF
R16-503BD-K OFF-(ON)
3A 250VAC (With LED)



PBS-426AD ON-OFF 3P With LED
PBS-426BD OFF-(ON) 3P With LED 10A 250VAC



R16-504A ON-OFF
R16-504B OFF-(ON)
3A 250VAC



DS-500 OFF-(ON)
DS-501 ON-(OFF)
1A 250VAC



DS-510 ON-OFF
DS-511 OFF-(ON)
1A 250VAC



PBS-15B OFF-(ON)
PBS-15C ON-(OFF)
3A 250VAC



DS-510K ON-OFF
DS-511K OFF-(ON)
1A 250VAC



DS-430 ON-(OFF)
DS-431 OFF-(ON)
3A 125VAC;1A 250VAC



PBS-02A ON-OFF
PBS-02B OFF-(ON)
2A 250VAC



DS-429 ON-OFF
3A 125VAC;1A 250VAC



PBS-03A ON-OFF
PBS-03B OFF-(ON)
2A 250VAC



PBS-18B OFF-(ON)
25mA 50VAC/50VDC



PBS-17A ON-OFF
2A 250VAC



PBS-101 OFF-(ON)
6A 250VAC;10A 125VAC



PBS-17A-2 ON-OFF
2A 250VAC



PS23-16N ON-OFF With lamp
16A 250VAC

PS18-16N-2 ON-OFF With lamp
WPC-18 waterproof cover



PBS-29B OFF-(ON)
3A 250VAC



KD2-21 ON-ON
KD2-22 ON-(ON)
3A 250VAC;6A 250VAC(With LED)



PBS-35B OFF-(ON)
3A 125VAC;1A 250VAC

KD2-23 ON-ON
KD2-24 ON-(ON)
3A 250VAC;6A 250VAC



PBS-35C ON-(OFF)
3A 125VAC;1A 250VAC



KD4-21 ON-OFF
KD4-21N ON-OFF(with lamp)
KD4-22 OFF-(ON)
KD4-22N OFF-(ON)(with lamp)
15A 250VAC;DPST 4P



PBS-37 ON-(OFF)
3A 125VAC;0.5A 250VAC



KD8-31N ON-OFF
KD8-32N OFF-(ON)
KD8-51 ON-OFF
KD8-52 OFF-(ON)
15A 250VAC



PBS-19
10A 125VAC;6A 250VAC



PBS-25B OFF-(ON)
PBS-25C ON-(OFF)
H=5, 10, 15
1A 250VAC



LXW20-11 ON-(ON)
15A 380VAC



DS-612 ON-ON
DS-613 ON-(ON)
2A 250VAC;5A 125VAC



PBS-24-302 ON-ON
PBS-24-312 ON-(ON)



DS-622 ON-ON
DS-623 ON-(ON)
2A 250VAC;5A 125VAC



PBS-24-302SP ON-ON
PBS-24-312SP ON-(ON)
2A 250VAC;4A 30VDC



PBS-24B-2 OFF-(ON)
PBS-24C-2 ON-(OFF)
6A 250VAC;10A 125VDC



DS-428 ON-(ON)
5A 250VAC



PBS-24B-4 OFF-(ON)
2A 250VAC



DS-438 ON-(ON)
16A 250VAC



PBS-24-102P ON-ON 3P
PBS-24-112P ON-(ON) 3P
PBS-24-202P ON-ON 6P
PBS-24-212P ON-(ON) 6P



DS-448 ON-(ON)
16A 250VAC



PBS-24-102 ON-ON 3P
PBS-24-112 ON-(ON) 3P
PBS-24-202 ON-ON 6P
PBS-24-212 ON-(ON) 6P



DS-438-2 ON-(ON)
16A 250VAC



PBS-128 ON-OFF
1A 30VDC



KAN-28 ON-OFF
1A 250VAC; 1A 30VDC



PBS-05 ON-ON-OFF
1A 30VDC



PBS-104 ON-OFF
1A 250VDC



PBS-06 ON-OFF
1A 30VDC



KFC6X6-A ON-ON
KFC6X6-B ON-(ON)



PBS-07-112-P3 ON-OFF
PBS-07-213-P34 ON-ON-OFF



KFC7X7-A ON-ON
KFC7X7-B ON-(ON)



KAN-9A ON-OFF Flat pin
KAN-9A-L ON-OFF Angled pin
5A 250VAC



KFC8X8-A ON-ON
KFC8X8-B ON-(ON)



PBS-09 ON-OFF
1A 250VAC; 1A 30VDC



KFC8.5X8.5-A ON-ON
KFC8.5X8.5-B ON-(ON)

PBS8.5X8.5-A ON-ON
PBS8.5X8.5-B ON-(ON)

PS-22F01L ON-ON
PS-22F01N ON-(ON)

KZJ2X2-1J-A ON-ON
KZJ2X2-1J-B ON-(ON)

KM8.5X8.5-4
(4.7X12.5X4.5mm)

KM8.5X8.5-3
(φ6X10mm)

KM8.5X8.5-2
(φ6X7mm)

KM8.5X8.5-1
(φ6X5mm)

KM8.5X8.5-0
(φ6X3.7mm)

KM8.5X8.5-7
(φ13.2X7.8mm)

KM8.5X8.5-6
(φ15.8X7.5mm)

KM8.5X8.5-5
(10X18X6.8mm)

PS-22F03L ON-ON
PS-22F03N ON-(ON)

KZJ2X4-A ON-ON
KZJ2X4-B ON-(ON)

PS-22F05L ON-ON
PS-22F05N ON-(ON)

TV-3-A ON-OFF
TV-3-B OFF-(ON)

PS-42F09L ON-ON
PS-42F09N ON-(ON)

KDC-A10-A ON-OFF
KDC-A10-B OFF-(ON)

PS-12E01L ON-ON
PS-12E01N ON-(ON)

KZJ2X2-A ON-ON
KZJ2X2-B ON-(ON)

PS-22E01L ON-ON
PS-22E01N ON-(ON)

KZJ2X2-1A ON-ON
KZJ2X2-1B ON-(ON)

KM3.3X3.3-15
(5.4X5.4X14.8mm)

KM3.3X3.3-3
(5.4X5.4X9.2mm)

KM3.3X3.3-2
(9X10.4mm)

KM3.3X3.3-1
(7.5X12.5mm)

KM3.3X3.3-10
(20X7.5X11mm)

KM3.3X3.3-7
(12.2X5.7X11.2mm)

KM3.3X3.3-5
(9.8X5.6X11.3mm)

Push Button Switch

A Series Plastic Push Button

A	16	-	11	S	Y	-	N	-	□	R	12V
塑料型 Series	尺寸 Mounting Size		刀数 Poles	功能 Function	形状 shape		灯 LED		外壳颜色 Housing Color	按钮颜色 Actuator Color	灯电压 LED Volt



11	1 NO 1NC
20	2NC
22	2NO 2NC
10	1NC

S:(复位 Momentary)
Z:(自锁 Latching)

Y:圆形 Round
F:正方形 Square
J:长方形 Rectangle
R:急停 Emergency
M:蘑菇形 mushroom
X:旋转形 Rotary type
K:钥匙形 key type

	No LED
E	Ring illuminated
P	Laser Power Logo
EP	Laser Power Logo+Ring
N	Lens illuminated
S	Custom Laser Symbol

	黑色Black
S	银色Silver

R	红色Red
G	绿色Green
Y	黄色Yellow
B	蓝色Blue
W	白色White
A	黑色Black
S	银色Silver

3V
6V
12V
24V
48V
110V
220V

A12-11SY; A12-11SY-N ON-(ON)
A12-11ZY; A12-11ZY-N ON-ON

A16-22SF-N ON-(ON)
A16-22ZF-N ON-ON

A16-11ZX2 ON-ON 3P
A16-22ZX2 ON-ON 6P
A16-22ZX3 ON-OFF-ON 6P

A16-10SR-B SPST
A16-20SR-B DPST

A12-11SF; A12-11SF-N ON-(ON)
A12-11ZF; A12-11ZF-N ON-ON

A16-11SJ-N ON-(ON)
A16-11ZJ-N ON-ON

A16-11ZK2 ON-ON 3P
A16-22ZK2 ON-ON 6P
A16-22ZK3 ON-OFF-ON 6P

A22-11SY-N-S△ ON-(ON)
A22-11ZY-N-S△ ON-ON

A12-11SJ; A12-11SJ-N ON-(ON)
A12-11ZJ; A12-11ZJ-N ON-ON

A16-11SM ON-(ON)
A16-11ZM ON-ON

A16-BZ
Buzzer 蜂鸣器

A22-11SY-EP-SS ON-(ON)
A22-11ZY-EP-SS ON-ON

A16-11SY; A16-11SY-N ON-(ON)
A16-11ZY; A16-11ZY-N ON-ON

A16-11SR SPDT
A16-22SR DPDT

A16-10SR-F SPST
A16-20SR-F DPST

S01 Square S02 Rectangle

Industrial Distribution Components

IP67 Series Plastic Push Button

L	19	F	–	11	E	L	□	–	S	R	–	R	12V
塑料型 SERIES	尺寸 Mounting Dia.	按钮形状 Button Shape		接触方式 Contact Mode	灯 LED	开关功能 Function	类别 Tape		外壳颜色 Housing Color	按钮颜色 Actuator Color		LED颜色 LED Color	LED电压 LED VOLT

L12	13.7X30
L16	
L19	
L22	
L25	28X35

F	Flat Round
H	High Round

10	1NO
11	1NO1NC
22	2NO2NC

M	Momentary
L	Latching

A	黑色Black
S	银色Silver

R	红色Red
G	绿色Green
Y	黄色Yellow
B	蓝色Blue
W	白色White
A	黑色Black
S	银色Silver

	No LED
E	Ring illuminated
P	Laser Power Logo
EP	Laser Power Logo+Ring
N	Lens illuminated
S	Custom Laser Symbol

	开关 Switch
R	急停 Emergency
K	钥匙形 key type
X	旋转形 Rotary type
D	指示灯 Indicator

	Same as button
R	红色Red
G	绿色Green
Y	黄色Yellow
B	蓝色Blue
W	白色White
2A	Red/green
2B	Red/yellow
2C	Red/blue
2D	Red/white
2E	Green/blue
2F	Green/yellow
3A	Red/green/blue
3B	Red/green/yellow
3D	Red/green/white
3E	Red/blue/yellow
3F	Red/blue/white

3V	
6V	
12V	
24V	
48V	
110V	
220V	

Φ16

L16F-11M-S△ 3P ON-(ON)
L16F-11L-S△ 3P ON-ON
L16F-11NM-S△ 5P ON-(ON)
L16F-11NL-S△ 5P ON-ON

Φ19

L19F-11EPM-AA 5P ON-(ON)
L19F-11EPL-AA 5P ON-ON
L19F-11EPM-AA 6P Dual LED
L19F-11EPM-AA 7P Triple LED

Φ22

L22F-11PM-SS 5P ON-(ON)
L22F-11PL-SS 5P ON-ON
L22F-11PM-SS 6P Dual LED
L22F-11PM-SS 7P Triple LED

Φ16

L16F-11M-A△ 3P ON-(ON)
L16F-11L-A△ 3P ON-ON
L16F-11NM-A△ 5P ON-(ON)
L16F-11NL-A△ 5P ON-ON

Φ22

L22F-11M-S△ 3P ON-(ON)
L22F-11L-S△ 3P ON-ON
L22F-11NM-S△ ON-(ON)
L22F-11NL-S△ ON-ON

L16-HS□ (For L16 SW)
L19-HS□ (For L19/L22 SW)
LAS1-19-HS□ (For LAS1-19 SW)
GQ22-HS□ (For GQ22 SW)
GQ25-HS□ (For GQ25 SW)
□:Number of wires

Φ19

L19F-11M-S△ 3P ON-(ON)
L19F-11L-S△ 3P ON-ON
L19F-11NM-S△ ON-(ON)
L19F-11NL-S△ ON-ON

Φ22

L22F-11M-A△ 3P ON-(ON)
L22F-11L-A△ 3P ON-ON
L22F-11NM-A△ ON-(ON)
L22F-11NL-A△ ON-ON

DPC-16 ϕ16
DPC-19 ϕ19
DPC-22 ϕ22
DPC-25 ϕ25
Dustproof&Safety cover

Push Button Switch

DS-12B

GQ-16F

PBS-28B-2/J

GQ22F-11

GQ30F

DS-12B-DM

GQ-16B

PBS-28B

GQ22-11E

GQ40F-22E

DS-12B-L

GQ-16H/J

PBS-28B-4

GQ22-11D

PZ16F-10
Piezo Switch

DS-12B-DL

GQ16F-10EM

GQ19BS-10EM

GQ25H

PZ19C-10
Piezo Switch

GQ-12B

LAS3-16F-11E

LAS1-19F-E

GQ25F-E

PZ22-10E
Piezo Switch

GQ12H-10EM

LAS3-16F-11D

LAS1-19F-D

GQ25F-D

TS22C-10E
Touch Switch















Y090-11BN ON-(ON)
Y090-11BNZS ON-ON

Y090-11Y-2 ON-ON
Y090-20Y-3 ON-OFF-ON

LA38-11Y-2 ON-ON
LA38-20Y-3 ON-OFF-ON

XB2-BD

Y090-11X-2 ON-ON
Y090-20X-3 ON-OFF-ON

LA38-11BN

LA38-11DN

XB2-BJ

Y090-11M ON-(ON)
Y090-11MZS ON-ON

LA38-11X-2

XB2-BA

XB2-BW3

Y090-11ZS

LA38-11M

XB2-BC

XD2-PA21

Y090-11DN ON-(ON)
Y090-11DNZS ON-ON

LA38-11ZS

XB2-BS

APBB-22N